

Claw vacuum pump



Claw vacuum pump

CCVP is our claw dry and oil free vacuum pump. It has a direct coupled motor with air cooling. It needs just a minimal quantity of oil in both sides bearing and gear housings, there are gears synchronising the two toros in the pump modul. The inlet air needs to be filtered with a simple dry air filtration system, which consists of disposable paper air filters. Operate of the CCVP claw vacuum pumps is possible with an inverter to control in order volume of constant pressure up to (till) 200 mbar abs.

CCXC model of the claw pump operates as a compressor with up to 1.5 bar pressure and 360 m³/hour volume flow. Fully oil free compressed air for aerators, pneumatical transport and many other, sensitive applications.



CCVP 360/CCXC360 claw vacuum pump



CCVP/CCXC360

Type	CCVP360	CCXC360
Air24 Item	900710001	900710002
ph	3ph	3ph
Capacity (m ³ /h)	360	360
Final pressure (mbar)	150	1.5
Voltage (V)	400 - 690	400 - 690
Power (KW)	7,5	7,5
Rotation speed (1/min)	3000	-
Sound level (dB)	80	80
Connection (In)	2	2
Size WxLxH (mm)	650x1051x510	650x1051x510
Weight (Kg)	288	288



Web: vacuumpump.ie
Phone: +353 1 513 4009
email: air24@air24.ie