

Vacuum & Pressure pump



Vacuum & Pressure pump

CFCV is a compact carbon vane suction/pressure pump. These pumps are popular in the printing industry. Just install and operate. These come fully equipped with all connections, have a flexible coupled electric motor by the larger models and the small types are monoblock pumps. This direct shaft connection reduces motor power loss and saves money.

Self lubricated suction and pressure pumps are robust, reliable competitive price guaranteed by AIR24.

CFCV type suction pressure pumps are fitted with air cooler depending from the size of the pump for optimal operating temperature. For safe operation several types are fitted with built in suction filter (air filter) for easy installation and operation.

CFVP dry rotary vane suction/pressure pumps are developed for continuous operation 24/7, available in 1 and 3 phase motors up to 2,2 kW motor power.

We supply a lot of accessories for this robust and durable series, please just let us know your requirements.

CFCV dry rotary vane vacuum pumps volume flow range is from 4 up to 297 m³/hour, final vacuum is 100 mbar (abs.) depend on model model.



CFCV S10-S16-S25C-S40C Vacuum & Pressure pump



CFCV S10-S35

| Type | CFCV S10 | CFCV S16 | CFCV S25 | CFCV S35 |
|------------------------------|-------------|-------------|---------------|---------------|
| Air24 Item | 9004300001 | 9004300002 | 9004300003 | 9004300004 |
| ph | 3ph | 3ph | 3ph | 3ph |
| Capacity (m ³ /h) | 10 | 16 | 25 | 35 |
| Over pressure (mbar) | 500 | 500 | 600 | 600 |
| Final pressure (mbar) | -500 | -500 | -600 | -600 |
| Voltage (V) | | | | |
| Power (KW) | 0.37 | 0.55 | 1.1 | 1.85 |
| Rotation speed (1/min) | - | - | - | - |
| Sound level (dB) | 56 | 62 | 70 | 70 |
| Connection (In) | 1/2" | 1/2" | 3/4" | 3/4" |
| Size WxLxH (mm) | 232x470x275 | 232x495x275 | 311x581x288.5 | 311x648x288.6 |
| Weight (Kg) | 30 | 31 | 46 | 52 |



Web: vacuumpump.ie
Phone: +353 1 513 4009
email: air24@air24.ie